

THE CANADIAN MINERALOGIST

VOLUME 24, INDEX

J. DOUGLAS SCOTT

Kidd Creek Division, Falconbridge Limited, P.O. Box 202, Timmins, Ontario P4N 7K1

AUTHOR INDEX

- ALAWI, J.A. with Ripley, E.M., 347
 ANDERSON, A.J. with Ercit, T.S., 599
 ANSELL, H.G. with Roberts, A.C., 51
 ARAI, S. & Hirai, H. Nickeliferous manganous subcalcic actinolite in a metachert from the Mineoka belt, central Japan, 475
 AUGSTEN, B.E.K., Thorpe, R.I., Harris, D.C. & Fedikow, M.A.F. Ore mineralogy of the Agassiz (Macellan) gold deposit in the Lynn Lake region, Manitoba, 369
 BAADSGAARD, H. with Kontak, D.J., 117
 BACK, M.E. with Rachlin, A.L., 689
 BAILEY, S.W. Re-evaluation of ordering and local charge-balance in Ia chlorite , 649
 BARR, S.M. & Pride, C.R. Petrogenesis of two contrasting Devonian granitic plutons, Cape Breton Island, Nova Scotia, 137
 BAYLISS, P. Subdivision of the pyrite group, and a chemical and X-ray-diffraction investigation of ullmannite, 27
 BERUBE, M.-A. & Fournier, B. Les produits de la réaction alcali-silice dans le béton: étude de cas de la région de Québec, 271
 BONARDI, M. with Roberts, A.C., 455
 — with Sabina, A.P., 449
 CALEY, W.F. & Kingston, P.W. Usage of refractory material in an early Eastern Ontario lead smelter, 265
 CARR, M.J. with Roberts, A.C., 455
 ČERNÝ, P. & Chapman, R. Adularia from hydrothermal vein deposits: Extremes in structural state, 717
 — with Ercit, T.S., 599, 605, 655
 CHAGNON, A. with Desjardins, M., 91
 CHAMBERLAIN, S.C., Dosserot, W.P. & Siegel, D.I. A new paragenesis and new localities for witherite, 79
 CHAO, G.Y. with Donnay, G., 417
 CHAPMAN, R. with Černý, P., 717
 CHEN, T.T., Quon, D.H.H. & Wang, S.S.B. Compositions and microstructures of furnace-bottom deposits produced from beneficiated Western Canadian bituminous coals, 229
 — & Wang, S.S.B. Constituents of calcined limestone and their relevance in paper manufacturing, 303
 CLARK, A.H. with Kontak, D.J., 117
 CRAIG, J.R. with Johnson, N.E., 385
 CRIDDLE, A.J. with Harris, D.C., 1
 — with Roberts, A.C., 379
 DESJARDINS, M. & Chagnon, A. Essais de microanalyse de phyllosilicates par microscopie électronique à balayage et dispersion d'énergie des rayons X, 91
 DIEHLA, V. with Mannucci, G., 469
 DONNAY, G. & Chao, G.Y. Hydrogen bonding in gaidonnayite, 417
 DOSSERT, W.P. with Chamberlain, S.C., 79
 DUMKA, D. with Gait, R.I., 685
 DUNN, P.J. Bärerite discredited, 591
 — with Grice, J.D., 665
 — with Rachlin, A.L., 689
 DUTRIZAC, J.E. with Rippeester, J.A., 435
 EGGLETON, R.A. with Guggenheim, S., 479
 ERGIT, T.S., Anderson, A.J., Černý, P. & Hawthorne, F.C. Bobfergusonite: A new primary phosphate mineral from Cross Lake, Manitoba, 599
 — Hawthorne, F.C. & Černý, P. The crystal structure of bobfergusonite, 605
 — Hawthorne, F.C. & Černý, P. Parabarionite, a new species, and its structural relationship to the pyrochlore group, 655
 — with Grice, J.D., 675
 ETZ, E.S. with Grice, J.D., 665
 EVANS, H.T., Jr. with Hemingway, B.S., 425
 FALSTER, A.U. with Martin, R.F., 709
 FARRAR, E. with Kontak, D.J., 117
 FEDIKOW, M.A.F. with Augsten, B.E.K., 369
 FLEET, M.E. Lattice-misfit theory and transformation twinning in alkali feldspar, 615
 FOURNIER, B. with Bérubé, M.-A., 271
 GAIT, R.I. & Dumka, D. Morphology of pyrite from the Nanisivik Mine, Baffin Island, Northwest Territories, 685
 GHENT, E.D. with Raesside, R.P., 547
 GOBLE, R.J. with Whiteside, L.S., 247
 GOLDSCHMIDT, A. Morphological and chemical data on microparticles in Antarctic snows, 99
 GRAESER, S. & Harris, D.C. Giesseinite from Giessen near Binn, Switzerland: new data, 19
 GRAMMACCIOLI, C.M. with Mannucci, G., 469
 GRATTAN-BELLEW, P.B. & Vijay, M.M. Influence of physical properties of rock on rate of penetration of a water-jet drill, 323
 GRICE, J.D. & Ercit, T.S. The crystal structure of moydite, 675
 —, van Velthuisen, J., Dunn, P.J., Newbury, D.E., Etz, E.S. & Nielsen, C.H. Moydite (Y, REE)[B(OH)₄](CO₃), a new mineral species from the Evans-Lou pegmatite, Quebec, 665
 — with Roberts, A.C., 51
 GROUT, C.M. with Serviss, C.R., 239
 GUGGENHEIM, S. & Eggleton, R.A. Structural modulations in iron-rich and magnesium-rich minnesotaite, 479
 HAGNI, R.D. with Serviss, C.R., 239
 HARRIS, D.C., Roberts, A.C. & Criddle, A.J. Izoklakeite, a new mineral species from Izok Lake, Northwest Territories, 1
 — with Augsten, B.E.K., 369
 — with Graeser, S., 19
 — with Roberts, A.C., 379
 HASELTON, H.T., Jr. with Hemingway, B.S., 425
 HAWTHORNE, F.C. Structural hierarchy in $\text{M}_{11}\text{Ti}_2\text{O}_{22}$ minerals, 625
 — & Smith, J.V. Enumeration of 4-connected 3-dimensional nets and the classification of framework silicates: body-centred cubic nets based on the rhombicuboctahedron, 643
 — with Ercit, T.S., 599, 605, 655
 HEIMANN, R.B. & Hooton, R.D. Mineralogical changes of various cement formulations during reaction with groundwater in the presence of Ca- and Na-bentonite at 150°C, 289
 HEMINGWAY, B.S., Evans, H.T., Jr., Nord, G.L., Jr., Haselton, H.T., Jr., Robie, R.A. & McGee, J.J. Akermanite: phase transitions in heat capacity and thermal expansion, and revised thermodynamic data, 425
 HICKSON, C.J. & Juras, S.J. Sample contamination by grinding, 585
 HIRAI, H. with Arai, S., 475
 HOGARTH, D.D. & Loop, J. Precious metals in Martin Frobisher's "black ores" from Frobisher Bay, Northwest Territories, 259
 HOOTON, R.D. with Heimann, R.B., 289
 HOUSLEY, R.M. with Volborth, A., 329
 JAMBOR, J.L. with Rippeester, J.A., 435
 — with Roberts, A.C., 455
 JOHNSON, N.E., Craig, J.R. & Rimstidt, J.D. Compositional trends in tetrahydrite, 385
 JONASSON, I.R. with Roberts, A.C., 51
 JURAS, S.J. with Hickson, C.J., 585
 KARUP-MØLLER, S. with Makovicky, E., 21
 KASE, K. Tellurium tennantite from the Besshi-type deposits in the Sambagawa metamorphic belt, Japan, 399
 KATO, A. with Shimizu, M., 405
 KINGSTON, P.W. with Caley, W.F., 265
 KISSIN, S.A. & Owens, D.R. The properties and modulated structure of potosilite from the Cassiar District, British Columbia, 45
 — & Owens, D.R. The crystallography of sakuraiite, 679
 KODAMA, H. with Townsend, M.G., 105
 KONTAK, D.J., Clark, A.H., Farrar, E., Pearce, T.H., Strong, D.F. & Baadsgaard, H. Petrogenesis of a Neogene shoshonite suite, Cerro Moromoron, Puno, southeastern Peru, 117
 KYBETT, B.D. with Potter, J., 219
 LEIBOVITZ, D.P. with Smith, D.G.W., 695
 LIVINGSTON, R.A. Architectural conservation and applied mineralogy, 307
 LONGWORTH, G. with Townsend, M.G., 105
 LOOP, J. with Hogarth, D.D., 259
 MAKOVICKY, E. & Karup-Møller, S. New data on giesseinite from the Bjørkåsen sulfide deposit at Ottenen, northern Norway, 21
 — with Zakrzewski, M.A., 7
 MANDARINO, J.A. with Rachlin, A.L., 689

- MANNUCCI, G., Diella, V., Grammaecoli, C.M. & Pilati, T. A comparative study of some pegmatitic and fissure monazite from the Alps, 469
- MARTIN, R.F. & Falster, A.U. Proterozoic sanidine and microcline in pegmatite, Wausau Complex, Wisconsin, 709
- with Payette, C., 557, 571
- with Schandl, E.S., 747
- with Stevenson, R.K., 729
- McDOUGALL, W.J. with Potter, J., 219
- McGEE, J.J. with Hemingway, B.S., 425
- MERKLE, R.K.W. & Von Gruenewaldt, G. Compositional variation of Co-rich pentlandite to the evolution of the upper zone of the western Bushveld Complex, South Africa, 529
- MUMME, W.G. The crystal structure of paderite, a mineral of the cuprobismutite series, 513
- MURROWCHICK, B.L. with Rachlin, A.L., 689
- NAMBUDIRI, E.M.V. with Potter, J., 219
- NEWBURY, D.E. with Grice, J.D., 665
- NIELSEN, C.H. with Grice, J.D., 665
- NORD, G.L., Jr. with Hemingway, B.S., 425
- NOREM, D. with Smith, D.G.W., 499, 789
- OWENS, D.R. with Kinsin, S.A., 45, 679
- with Sabina, A.P., 449
- PAYETTE, C. & Martin, R.F. The Harvey volcanic suite, New Brunswick. I. Inclusions of magma in quartz phenocrysts, 557
- & Martin, R.F. The Harvey volcanic suite, New Brunswick. II. Postmagmatic adjustments in the mineralogy and bulk composition of a high-fluorine rhyolite, 571
- PEARCE, T.H. with Kontak, D.J., 117
- PEATFIELD, G.R. with Scott, J.D., 55
- PERRAULT, G. with Taner, M.F., 761
- PERSEIL, E.-A. Signification génétique de la lithiophorite (Al₂LiMnO₄(OH), dans le gisement manganésifère de Serra do Navio, Bréasil, 461
- PILATI, T. with Mannucci, G., 469
- PINCH, W.W. with Roberts, A.C., 379
- POTTER, J., Kybett, B.D., McDougall, W.J., Nambudiri, E.M.V., Rahimi, P. & Price, J.T. Petrographic characterization of the solid products of coal-pitch coprocessing, 219
- PRICE, J.T. with Potter, J., 219
- PRIDE, C.B. with Barr, S.M., 137
- QUON, D.H.H. with Chen, T.T., 229
- RACHLIN, A.L., Mandarino, J.A., Murrowchick, B.L., Ramik, R.A., Dunn, P.J. & Baek, M.E. Mineralogy of hilgardite-4M from evaporites in New Brunswick, 689
- RAESIDE, R.P. & Ghent, E.D. The migmatization of Hadrynian sedimentary rocks, Mica Creek, British Columbia, 547
- RAHIMI, P. with Potter, J., 219
- RAMIK, R.A. with Rachlin, A.L., 689
- with Roberts, A.C., 51, 455
- RATCLIFFE, C.I. with Rimpsester, J.A., 435
- RIMSTIDT, J.D. with Johnson, N.E., 385
- with Walsh, C.A., 35
- RIEPLER, E.M. & Alawi, J.A. Sulfide mineralogy and chemical evolution of the Babbitt Cu-Ni deposit, Duluth Complex, Minnesota, 347
- RIMPSESTER, J.A., Ratcliffe, C.I., Dutrizac, J.E. & Jambor, J.L. Hydronium ion in the alunite-jarosite group, 435
- ROBERTS, A.C., Ansell, H.G., Jonasson, I.R., Grice, J.D. & Ramik, R.A. Rapidoreckite, a new hydrated calcium sulfate-carbonate from the Rapid Creek area, Yukon Territory, 51
- , Harris, D.C., Griddle, A.J. & Finch, W.W. Cameronite, a new copper-silver telluride from the Good Hope mine, Vulcan, Colorado, 379
- , Sabina, A.P., Bonardi, M., Jambor, J.L., Ramik, R.A., Sturman, B.D. & Carr, M.J. Montroyalite, a new hydrated Sr-Al hydroxycarbonate from the Franco quarry, Montreal, Quebec, 455
- with Harris, D.C., 1
- with Sabina, A.P., 449
- ROBIE, R.A. with Hemingway, B.S., 425
- SABINA, A.P., Roberts, A.C., Bonardi, M., Owens, D.R. & Sturman, B.D. Hochelagaite, a new calcium-niobium oxide mineral from Montreal, Quebec, 449
- with Roberts, A.C., 455
- SCHANDL, E.S., Martin, R.F. & Stevenson, J.S. Feldspar mineralogy of the Sudbury Igneous Complex and the Onaping Formation, Sudbury, Ontario, 747
- SCOTT, J.D. & Peatfield, G.R. Mannardite [Ba·H₂O](Ti₂V³⁺)O₁₄, a new mineral species, and new data on redlegite, 55
- SCOTT, S.D. with Spry, P.G., 147
- SERVISS, C.R., Grout, C.M. & Hagni, R.D. The mineralogy of a silver-rich area in the Edwards zinc-lead mine, New York, 239
- SHIMIZU, M., Kato, A. & Shiozawa, T. Sakuraiite: chemical composition and extent of (Zn,Fe)In-for-CuSn substitution, 405
- SHIOZAWA, T. with Shimizu, M., 405
- SIEGEL, D.I. with Chamberlain, S.C., 79
- SMITH, D.G.W. & Leibovitz, D.P. MinIdent: a data base for minerals and a computer program for their identification, 695
- & Norem, D. The electron-microprobe analysis of palygorskite, 499
- & Norem, D. The electron-microprobe analysis of palygorskite: addendum, 789
- SMITH, J.V. with Hawthorne, F.C., 643
- SPRY, P.G. & Scott, S.D. Zirconian spinel and staurolite as guides to ore in the Appalachians and Scandian Caledonides, 147
- STEVENSON, J.S. with Schandl, E.S., 747
- STEVENSON, R.K. & Martin, R.F. Implications of the presence of amazonite in the Broken Hill and Geco metamorphosed sulfide deposits, 729
- STRONG, D.F. with Kontak, D.J., 117
- STUMPF, E.F. with Volborth, A., 329
- STURMAN, B.D. with Roberts, A.C., 455
- with Sabina, A.P., 449
- SZYMANSKI, J.T. The crystal structure of mannardite, a new hydrated cryptomelane-group (hollandite) mineral with a doubled short axis, 67
- TANER, M.F., Trudel, P. & Perrault, G. Géochimie de la biotite associée à certains gisements d'or de Val d'Or, Malartic et Chibougamau, Québec, 761
- TARKIAN, M. with Volborth, A., 329
- THORPE, R.I. with Augusten, B.E.K., 369
- TORNROOS, R. with Vuorelainen, Y., 523
- TOWNSEND, M.G., Longworth, G. & Kodama, H. Magnetic interaction at low temperature in chlorite and its products of oxidation: a Mössbauer investigation, 105
- TRUDEL, P. with Taner, M.F., 761
- van MARCKE de LUMMEN, G. Tin-bearing epidote from skarn in the Land's End aureole, Cornwall, England, 411
- van VELTHUIZEN, J. with Grice, J.D., 665
- VIJAY, M.M. with Grattan-Bellew, P.E., 323
- VOLBORTH, A., Tarkian, M., Stumpf, E.F. & Housley, R.M. A survey of the Pd-Pt mineralization along the 35-km strike of the J-M Reef, Stillwater Complex, Montana, 329
- VON GRUENEWALDT, G. with Merkle, R.K.W., 529
- VUORELAINE, Y. & Tornroos, R. Man-made Pt-PtAs₂ spherules after sperryllite from alluvial deposits in Finnish Lapland, 523
- WALSH, C.A. & Rimstidt, J.D. Rates of reaction of covellite and blaubleibender covellite with ferric iron at pH 2.0, 35
- WANG, S.S.B. with Chen, T.T., 229, 303
- WICKS, F.J. Lizardite and its parent enstatite: a study by X-ray diffraction and transmission electron microscopy, 775
- WHITESIDE, L.S. & Goble, R.J. Structural and compositional changes in copper sulfides during leaching and dissolution, 247
- ZAKRZEWSKI, M.A. & Makovicky, E. Izoklakeite from Vena, Sweden, and the kobellite homologous series, 7

SUBJECT INDEX

- A comparative study of some pegmatitic and fissure monazite from the Alps, (Mannucci et al.), 469
- A new paragenesis and new localities for witherite, (Chamberlain et al.), 79
- A survey of the Pd-Pt mineralization along the 35-km strike of the J-M Reef, Stillwater Complex, Montana, (Volborth et al.), 329
- Adularia from hydrothermal vein deposits: extremes in structural state, (Cerný & Chapman), 717
- Åkermanite: phase transitions in heat capacity and thermal expansion, and revised thermodynamic data, (Hemingway et al.), 425
- Architectural conservation and applied mineralogy, (Livingston), 307
- Årheniusite discredited, (Dunn), 591
- Bobfergusonite: a new primary phosphate mineral from Cross Lake, Manitoba, (Ericot et al.), 599
- Cameronite, a new copper-silver telluride from the Good Hope mine, Vulcan, Colorado, (Roberts et al.), 379
- CHEMICAL ANALYSES (see also Electron-microprobe analyses)
- Minerals
- alunite, 438, bentonite, 291, coal, 230, coal ash, 231, coal pitch, 221
- Rocks
- Au/Ag in hornblende, 260, cement, 291, fire-clay brick, 267, granite, 139, rhyolite, 577, rhyolitic glass, 562, shoshonite, 122, tuff, 577
- Compositional trends in tetrahedrite, (Johnson et al.), 385
- Compositional variation of Co-rich pentlandite: relation to the evolution of the upper zone of the western Bushveld Complex, South Africa, (Merkle & Von Gruenewaldt), 529
- Compositions and microstructures of furnace-bottom deposits produced from beneficiated Western Canadian bituminous coals, (Chen et al.), 229
- Constituents of calcined limestone and their relevance in paper manufacturing, (Chen & Wang), 303
- COUPLED-ATOM SUBSTITUTIONS
- Oxides
- mannerite, 60, monazite, 473, redledgeite, 61
- Silicates
- actinolite, 476, amazonite, 729, biotite, 761, epidote, 414
- Sulfides
- cuprobismutite series, 520, freibergite, 373, kobellite homologous series, 11, 22, pentlandite, 535, sakuralite, 409, tennantite, 402, tetrahedrite group, 373, 385, 399
- CRYSTALLOGRAPHY (see also Twinning)
- adularia, 718, Åkermanite, 431, classification of structures, 625, 643, cuprobismutite series, 520, elastic strain energy, 618, EPIAG program, 617, feldspar twin geometry, 616, framework silicates, 643, hilgardite-M, 691, hydronium ion, 441, K-feldspar, 712, kobellite homologous series, 7, 22, lattice-misfit theory, 617, leached copper sulfide, 35, 247, Lewis basicity, 638, lizardite, 781, microlite topotaxy, 657, modular crystallography, 626, pyrite epitaxy, 685, pyrite group, 28, rhombohedral space groups, 793, tin in epidote, 411
- CRYSTAL STRUCTURE (see also X-ray diffraction)
- bobfergusonite, 605, chlorite, 649, covellite-type structures, 252, gaidonnayite, 417, hydronium alunite, 441, mannerite, 67, minnesotite, 482, moysite, 675, paraboriomorolite, 659, paderite, 513, potosite, 45, sakuralite, 679, ullmannite, 27
- DIFFERENTIAL THERMAL ANALYSES
- sperryite, 525
- ELECTRON-MICROPROBE ANALYSES
- actinolite, 475, adularia, 719, amazonite, 732, amphibole, 412, argontopentlandite, 373, barytoalcite, 57, biotite, 764, bobfergusonite, 601, 606, bornite, 360, braggite, 334, britholite, 560, cameronte, 383, chalcocypite, 360, chromian clinocllore, 62, cooperite, 334, cubanite, 360, electrum, 374, epidote (Sn), 413, freibergite, 243, 372, 388, gahnite, 151, garnet, 462, glessenite, 20, 22, hilgardite-M, 691, hochelagaitte, 450, izoklakeite, 2, 9, kethoonite, 334, kesterite, 408, kotulskite, 334, leached digenite, 249, lithiophorite, 465, magnetite, 560, malayite, 412, mannerite, 61, 70, michenerite, 334, microlite, 658, micro-particles in glacial snow, 99, minnesotite, 481, monazite, 471, moncheite, 334, montroyalite, 455, moysite, 669, mosevite, 57, olivine, 128, 539, orthopyroxene, 129, palladoarsenide, 334, polygorskite, 502, paraboriomorolite, 658, pentlandite, 360, 373, 532, phlogopite, 95, plagioclase, 751, potosite, 46, Pt-Fe, 334, pyrrargyrite, 373, pyrite, 373, pyrophanite, 465, pyroxene, 560, pyrrhotite, 360, 373, 539, rapidcreekite, 53, redledgeite, 64, sakuralite, 408, 680, sperryite, 334, 525, sphalerite, 360, 371, stannite, 408, stauriolite, 159, stillwaterite, 334, sylvanite, 57, tennantite (Te), 401, titanite (Sn), 412, troilite, 360, ullmannite, 30, 373, vysotskite, 334
- Enumeration of 4-connected 3-dimensional nets and the classification of framework silicates: body-centred cubic nets based on the rhombohedral octahedron, (Hawthorne & Smith), 643
- Essais de microanalyse de phyllosilicates par microscopie électronique à balayage et dispersion d'énergie des rayons X, (Dejardin & Chagnon), 91
- EXPERIMENTAL (see also Petrology)
- Åkermanite thermodynamics, 425, alkali-silicate reactions in concrete, 271, 289, alunite-jarosite group, 435, amazonite color, 729, contamination by grinding, 585, copper sulfate leaching, 35, 247, errors in mica analyses, 91, granite REE, 140, kobellite homologous series, 16, lead-isotope data, 737, lead smelter brick, 265, Minident program, 695, quicklime residues, 303, Raman microprobe analysis, 670, REE substitutions, 472, REE in britholite, 560, shoshonite REE, 126, spherulization of sperryite, 525, tetrahedrite series, 372, 385, trace elements in sulfides, 351, water-jet drilling, 323, witherite stable isotopes, 87
- Feldspar mineralogy of the Sudbury Igneous Complex and the Onaping Formation, Sudbury, Ontario, (Schandl et al.), 747
- Géochimie de la biotite associée à certains gisements d'or de Val d'Or, Malartic et Chibougamau, Québec, (Taner et al.), 761
- Glessenite from Glessen near Binn, Switzerland: new data, (Graessner & Harris), 19
- Hochelagaitte, a new calcium-niobium oxide mineral from Montreal, Québec, (Sabina et al.), 449
- Hydrogen bonding in gaidonnayite, (Donnay & Chao), 417
- Hydronium ion in the alunite-jarosite group, (Ripmeester et al.), 435
- Implications of the presence of amazonite in the Broken Hill and Geoc metamorphosed sulfide deposits, (Stevenson & Martin), 729
- Influence of physical properties of rock on rate of penetration of a water-jet drill, (Grattan-Bellew & Vijay), 323
- INFRARED-ABSORPTION SPECTRA
- adularia, 724, montroyalite, 457, rapidcreekite, 53
- Izoklakeite, a new mineral species from Izok Lake, Northwest Territories, (Harris et al.), 1
- Izoklakeite from Vena, Sweden, and the kobellite homologous series, (Zakrzewski & Makovicky), 7
- Lattice-misfit theory and transformation twinning in alkali feldspar, (Fleet), 615
- Les produits de la réaction alcalis-silice dans le béton: étude de cas de la région de Québec, (Bérubé & Fournier), 271
- Lizardite and its parent enstatite: a study by X-ray diffraction and transmission electron microscopy, (Wicks), 775
- Magnetic interaction at low temperature in chlorite and its products of oxidation: a Mössbauer investigation, (Townsend et al.), 105
- Man-made Pt-PtAs, spherules after sperryite from alluvial deposits in Finnish Lapland, (Vuorelainen & Törnroos), 523
- Mannerite [Ba·H₂O](Ti^{IV})₂O₁₁, a new mineral species, and new data on redledgeite, (Scott & Peatfield), 55
- MICROHARDNESS
- cameronite, 380, izoklakeite, 3, potosite, 46, sakuralite, 680
- MINERAL DATA (see also Electron-microprobe analyses)
- actinolite, 475, adularia, 717, Åkermanite, 425, alkali feldspar twins, 615, alunite-jarosite group, 435, amazonite, 729, antigorite, 775, argontopentlandite, 373, attapulgite (discredited), 510, baronite (discredited), 591, biotite, 761, bobfergusonite, 599, 605, braggite, 339, britholite, 557, cameronte, 379, chlorite group, 105, 649, "chromitite", 64, chrysotile, 775, coal, 219, cooperite, 338, covellite, 35, cubanite, 355, epidote (Sn), 411, freibergite, 372, gahnite, 147, gaidonnayite, 417, glessenite, 19, hilgardite-M, 689, hochelagaitte, 449, hydronium alunite, 435, izoklakeite, 1, 7, kesterite, 408, kobellite homologous series, 7, lithiophorite, 461, lizardite, 775, mannerite, 55, 67, mica analysis errors, 91, microcline, 709, 717, 729, microlite, 657, minnesotite, 479, monazite, 469, moncheite, 335, montroyalite, 455, moysite, 665, 675, olivine, 529, paderite, 513, palladoarsenide, 341, polygorskite, 499, paraboriomorolite, 655, pentlandite, 529, PGE minerals, 330, potosite, 45, Pt-Fe alloy, 341, pyrite, 685, pyrrhotite, 529, rapidcreekite, 51, redledgeite, 55, 77, resbanite (discredited), 513, sakuralite, 405, 679, sandine (high), 709, 717, sperryite, 523, stannite, 408, stauriolite, 147, tennantite (Te), 399, tetrahedrite group, 385, tridymite, 575, ullmannite, 27, vysotskite, 339, witherite, 79
- MINERALOGICAL ASSOCIATION OF CANADA
- book reviews, 165, 421, 593, 791, Hawley award, 798, Past Presidents' medal, 802, Proceedings of the 31st annual meeting, 797, Program and Abstracts for the Symposium on Sediment-Hosted Stratiform Copper Deposits, 169, referees for 1985, 167
- Mineralogical changes of various cement formulations during reaction with groundwater in the presence of Ca- and Na-bentonite at 150°C, (Heimann & Hooton), 289
- Mineralogy of hilgardite-M from evaporite in New Brunswick, (Rachlin et al.), 689
- Minident: a data base for minerals and a computer program for their identification, (Smith & Leibovitz), 695
- Montroyalite, a new hydrated Sr-Al hydroxycarbonate from the Francon quarry, Montreal, Québec, (Roberts et al.), 455
- Morphological and chemical data on microparticles in Antarctic snows, (Goldschmidt), 99
- Morphology of pyrite from the Nainiasiv Mine, Baffin Island, Northwest Territories, (Galt & Dumka), 685
- MOSSBAUER SPECTROSCOPY
- bobfergusonite, 601, chlorite, 105
- Moysite (Y, REE) [BOH]₂[CO₃], a new mineral species from the Evans-Lou pegmatite, Québec, (Grice et al.), 665
- New data on glessenite from the Bjørkås sulfide deposit at Otten, northern Norway, (Makovicky & Karup-Møller), 21
- NEW MINERAL SPECIES
- bobfergusonite, 599, cameronte, 379, hochelagaitte, 449, izoklakeite, 1, 7, mannerite, 55, montroyalite, 455, moysite, 665, paraboriomorolite, 655, rapidcreekite, 51

Nickeloan manganese subalcalic actinolite in a metachert from the Mineoka belt, central Japan, (Arai & Hirai), 475

NOMENCLATURE

attapulgitite, 500, bároenite (discredited), 591, bobfergusonite, 599, cameronite, 379, hochelagaite, 449, izoklakeite, 1, kobellite homologous series, 10, mannardite, 55, montroyalite, 455, moydite, 665, parabaricomicrolite, 655, pyrite group, 27, rapidcreekite, 51, redledgeite, 55, rezbanyite, 513, tennantite (Te), 400

OPTICAL PROPERTIES

General
bobfergusonite, 600, hilgardite-4M, 690, hochelagaite, 450, mannardite, 59, montroyalite, 456, moydite, 667, rapidcreekite, 52
Reflectance
braggite, 337, cameronite, 380, cooperite, 337, izoklakeite, 3, 8, keithoonite, 341, mannardite, 58, moncheite, 336, palladoarsenide, 340, potosilite, 46, Pt-Fe alloy, 340, sakuraiite, 680, vyzotskite, 337

Ore mineralogy of the Agassiz (Macellan) gold deposit in the Lynn Lake region, Manitoba, (Augsten et al.), 369

Parabaricomicrolite, a new species, and its structural relationship to the pyrochlore group, (Ericit et al.), 655

Petrogenesis of a Neogene shoshonite suite, Cerro Moromoroní, Puno, southeastern Peru, (Kontak et al.), 117

Petrogenesis of two contrasting Devonian granitic plutons, Cape Breton Island, Nova Scotia, (Barr & Fride), 137

Petrographic characterization of the solid products of coal-pitch coprocessing, (Potter et al.), 219

PETROLOGY (see also Experimental)

biotitization, 761, coal ash, 229, coal-pitch, 219, Cu-Ni deposits, 347, fluid inclusions, 557, garnet hydrolysis, 463, garnetite, 461, granite fractionation, 140, granite pegmatite, 709, granite pluton, 137, granophyre feldspars, 752, graphite-rich pyroxenite, 343, magma inclusions, 557, microparticles in glacial snow, 99, migmatite, 547, pegmatite mineralogy, 599, pentlandite chemistry, 530, PGE mineralogy, 329, pyrite morphology, 685, rhyolitic magma, 557, serpentine growth mechanism, 784, serpentinization, 775, silver in Pb/Zn ore, 239, shoshonite, 117, sulfide-silicate equilibria, 743, witherite paragenesis, 79

Precious metals in Martin Frobisher's "black ores" from Frobisher Bay, Northwest Territories, (Hogarth & Loop), 259

Proterozoic sanidine and microcline in pegmatite, Wauveau Complex, Wisconsin, (Martin & Falster), 709

Rapidcreekite, a new hydrated calcium sulfate-carbonate from the Rapid Creek area, Yukon Territory, (Roberts et al.), 51

Rates of reaction of covellite and blaubleibender covellite with ferric iron at pH 2.0, (Walsh & Rimstidt), 35

Re-evaluation of ordering and local charge-balance in Ia chlorite, (Bailey), 649

Sakuraiite, chemical composition and extent of (Zn,Fe)In-for-CuSn substitution, (Shimizu et al.), 405

Sample contamination by grinding, (Hickson & Juras), 585

SCANNING-ELECTRON MICROGRAPHS

coal-ash deposits, 232, concrete reaction products, 271, 290, hydrated lime, 304, izoklakeite, 8, kaolinite, 464, microparticles in glacial snow, 100, palygorskite, 501, sperphanite, 466, rapidcreekite, 52, redledgeite, 62, sperryllite spherules, 524

Signification génétique de la lithiophorite (Al,Li)MnO₂(OH), dans le gisement manganésifère de Serró do Navio, Brésil, (Perseil), 461

Structural and compositional changes in copper sulfides during leaching and dissolution, (Whiteside & Goble), 247

Structural hierarchy in Mn^{II}, Ti⁴⁺ minerals, (Hawthorne), 625

Structural modulations in iron-rich and magnesium-rich minnesotaite, (Guggenheim & Eggleston), 479

Subdivision of the pyrite group, and a chemical and X-ray-diffraction investigation of ullmannite, (Bayliss), 27

Sulfide mineralogy and chemical evolution of the Babbitt Cu-Ni deposit, Duluth Complex, Minnesota, (Ripley & Alawi), 347

Symposium on Sediment-Hosted Stratiform Copper Deposits, (abstracts), 169

Tellurian tennantite from the Beeshi-type deposits in the Sambagawa metamorphic belt, Japan, (Kase), 399

TEXTURES

basite, 776, Cu-Ni sulfides, 351, gahnite, 149, garnet hydrolysis, 463, microcline, 712, serpentine, 775, shoshonite, 120, silver in Pb/Zn ore, 242

The electron-microprobe analysis of palygorskite, (Smith & Norem), 499

The electron-microprobe analysis of palygorskite: addendum, (Smith & Norem), 789

The crystallography of sakuraiite, (Kissin & Owens), 679

The crystal structure of bobfergusonite, (Ericit et al.), 605

The crystal structure of mannardite, a new hydrated cryptomelane-group (hollandite) mineral with a doubled short axis, (Szymański), 67

The crystal structure of moydite, (Grice & Ericit), 675

The crystal structure of paderaitite, a mineral of the cuprobismutite series, (Mumme), 513

The Harvey volcanic suite, New Brunswick. I. Inclusions of magma in quartz phenocrysts, (Payette & Martin), 557

The Harvey volcanic suite, New Brunswick. II. Postmagmatic adjustments in the mineralogy and bulk composition of a high-fluorine rhyolite, (Payette & Martin), 571

The migmatization of Hadrynian sedimentary rocks, Mica Creek, British Columbia, (Raeside & Ghent), 547

The mineralogy of a silver-rich area in the Edwards zinc-lead mine, New York, (Serviss et al.), 239

The properties and modulated structure of potosilite from the Cassiar District, British Columbia, (Kissin & Owens), 45

THERMOGRAVIMETRIC ANALYSES

bobfergusonite, 602, hilgardite-4M, 691

Tin-bearing epidote from skarn in the Land's End aureole, Cornwall, England, (van Marcke de Lummen), 411

TRANSMISSION ELECTRON MICROGRAPHS

lizardite, 779, minnesotaite, 491, potosilite, 48, serpentine, 780

TWINNING (see also Crystallography)

adularia, 718, ákermanite, 433, alkali feldspar, 615, marcasite, 686, minnesotaite, 480, montroyalite, 457, parabaricomicrolite, 657

Usage of refractory material in an early Eastern Ontario lead smelter, (Caley & Kingston), 265

X-RAY DIFFRACTION (see also Crystal Structure)

Cell Dimensions

actinolite, 476, adularia, 723, ákermanite, 431, alunite, 439, amazonite, 735, bobfergusonite, 601, 606, cameronite, 384, epidote (Sn), 413, feldspar group, 575, glaucite, 19, 23, hilgardite-4M, 691, hochelagaite, 451, izoklakeite, 4, 9, mannardite, 62, 69, microcline, 735, 752, minnesotaite, 479, 489, monazite, 472, moydite, 667, 675, paderaitite, 514, parabaricomicrolite, 657, rapidcreekite, 52, sakuraiite, 681, sanidine (high), 723, ullmannite, 29

Powder Data

adularia, 720, bobfergusonite, 602, cameronite, 384, epidote (Sn), 413, glaucite, 23, hochelagaite, 451, izoklakeite, 5, 10, mannardite, 62, minnesotaite, 490, montroyalite, 458, moydite, 668, palygorskite, 508, parabaricomicrolite, 657, potosilite, 47, rapidcreekite, 52, redledgeite, 62, sakuraiite, 681

Zincian spinel and staurolite as guides to ore in the Appalachians and Scandinavian Caledonides, (Spry & Scott), 147

THE CANADIAN MINERALOGIST

**Journal of the
Mineralogical Association
of Canada**



R.F. Martin, Editor

Volume 24, 1986